

# contents

Introduction	xv
--------------	----

## CHAPTER 1

<b>Why Aircraft Thermal Management Matters</b>	<b>1</b>
<b>1.1 Introduction</b>	<b>1</b>
<b>1.2 Temperature Requirements</b>	<b>1</b>
<b>1.3 Removing Heat</b>	<b>2</b>
<b>1.4 Protection</b>	<b>2</b>
<b>1.5 Increased Importance</b>	<b>3</b>
<b>1.5.1 Composite Materials</b>	<b>3</b>
1.5.1.1 Advantages over Metals	3
1.5.1.2 Disadvantages of Using Composites	6
<b>1.5.2 Higher Heat Loads</b>	<b>7</b>
<b>1.5.3 More Electric Aircraft</b>	<b>7</b>
1.5.3.1 No-Bleed Systems	7
1.5.3.2 Electric Actuators	8
1.5.3.3 Challenges	8
<b>References</b>	<b>9</b>

## CHAPTER 2

<b>Temperature and Thermal-Related Requirements</b>	<b>11</b>
<b>2.1 Introduction</b>	<b>11</b>
<b>2.2 Outside Ambient Conditions</b>	<b>12</b>
<b>2.2.1 Climate and Aircraft Performance</b>	<b>12</b>
2.2.1.1 Standard Day	13
2.2.1.2 Environmental Envelope	13
2.2.1.3 Safe Operations	14
2.2.1.4 Performance	14
2.2.1.5 Operational Requirements and Limits	14
2.2.1.6 OAT and Airplane Performance	15
2.2.1.7 MIL-HDBK-310	16

<b>2.2.2 Boundary Temperature Calculations</b>	<b>19</b>
2.2.2.1 Ground	19
2.2.2.2 Sky	21
2.2.2.3 Ram Air	22
<b>2.2.3 Boundary Pressure Calculations</b>	<b>23</b>
2.2.3.1 Pounds Mass versus Pounds Force	23
2.2.3.2 Total (Ram) Pressure	24
<b>2.2.4 Humidity</b>	<b>25</b>
<b>2.2.5 Solar Flux</b>	<b>25</b>
<b>2.2.6 Wind Speed</b>	<b>25</b>
<b>2.3 Pressurized Volume</b>	<b>25</b>
<b>2.3.1 Passenger Cabin and Flight Deck (Thermal Comfort)</b>	<b>26</b>
2.3.1.1 Thermal Comfort Parameters	26
2.3.1.2 Thermal Load	29
2.3.1.3 Predicted Mean Vote	30
2.3.1.4 Predicted Percentage Dissatisfied	30
<b>2.3.2 Cargo Compartments</b>	<b>30</b>
<b>2.3.3 Equipment</b>	<b>31</b>
<b>2.4 Unpressurized Area</b>	<b>32</b>
<b>2.4.1 Fuel</b>	<b>33</b>
<b>2.4.2 Hydraulics</b>	<b>34</b>
<b>2.5 Structure</b>	<b>34</b>
<b>2.5.1 External Bulk</b>	<b>35</b>
<b>2.5.2 Internal</b>	<b>35</b>
<b>References</b>	<b>35</b>

**CHAPTER 3**

<b>Airplane-Generated Heat Sources</b>	<b>39</b>
<b>3.1 Introduction</b>	<b>39</b>
<b>3.2 Occupants</b>	<b>39</b>
3.2.1 Sensible Heat	40
3.2.2 Latent Heat	40
3.2.3 Passengers and Crew	40
3.2.4 Live Animal Cargo	40
3.2.5 Avionics and Electrical Equipment	42
<b>3.3 Flight Controls and Hydraulic Systems</b>	<b>43</b>
3.3.1 Hydraulic	44
3.3.2 Electric	44
3.3.3 Flight Control Thermal Impact	44

---

<b>3.4 Lights</b>	<b>45</b>
<b>3.5 Power Feeders</b>	<b>45</b>
3.5.1 Electromagnetic Interference	46
3.5.2 Inductive Loads	46
<b>3.6 Brakes</b>	<b>46</b>
3.6.1 Brake Heat Sink	47
3.6.2 Brake Temperatures	47
3.6.3 Brake Heating during Successive Missions	48
3.6.4 MLG Wheel Well	49
3.6.5 BTMS Selection at Gate Release	49
3.6.6 Brake Fans	49
3.6.7 Thrust Reverses	49
3.6.8 Fuse Plugs	50
<b>3.7 Environmental Control System</b>	<b>50</b>
3.7.1 Air Supply	50
3.7.2 Packs	51
3.7.3 Fans	51
3.7.4 Anti-icing/Deicing Systems	52
<b>References</b>	<b>52</b>

**CHAPTER 4**

<b>External Heat Sources</b>	<b>53</b>
<b>4.1 Introduction</b>	<b>53</b>
<b>4.2 Solar Heating</b>	<b>53</b>
4.2.1 The Sun	54
4.2.2 Incident Solar Load	55
4.2.3 Time of Day and Surface Orientation	55
4.2.4 Solar Absorptance and Reflectance	56
4.2.5 Transmittance	57
4.2.6 Modeling Terrestrial Radiation	58
4.2.6.1 Extraterrestrial Radiation	58
4.2.6.2 Declination Angle	58
4.2.6.3 Solar Time	59
4.2.6.4 Zenith Angle	60
4.2.6.5 Altitude or Elevation Angle	60
4.2.6.6 Air Mass Model	60
4.2.6.7 Clear Sky Model	61
<b>4.3 Aerodynamic Heating</b>	<b>62</b>
4.3.1 Subsonic Flight	62
4.3.2 Supersonic Flight	62

<b>4.4 Lightning</b>	<b>63</b>
<b>References</b>	<b>64</b>
<b>CHAPTER 5</b>	
<b>Aircraft Heat Sinks</b>	<b>67</b>
<b>5.1 Introduction</b>	<b>67</b>
<b>5.2 Ambient Air</b>	<b>67</b>
<b>5.2.1 Structure and Unpressurized Ambient Cooling</b>	<b>68</b>
<b>5.2.2 Systems Cooling</b>	<b>68</b>
5.2.2.1 Ram-Air Systems	68
5.2.2.2 Skin Heat Exchangers	69
5.2.2.3 Cabin Exhaust	69
<b>5.3 Sky</b>	<b>69</b>
<b>5.4 Fuel</b>	<b>69</b>
<b>5.4.1 Thermal Capacitance</b>	<b>70</b>
<b>5.4.2 Fuel Supply Line and Energy Recovery</b>	<b>70</b>
<b>Reference</b>	<b>70</b>
<b>CHAPTER 6</b>	
<b>Fires and Failures</b>	<b>71</b>
<b>6.1 Introduction</b>	<b>71</b>
<b>6.2 Fires</b>	<b>72</b>
<b>6.2.1 MLG Wheel Well</b>	<b>72</b>
<b>6.2.2 Engine and APU</b>	<b>73</b>
<b>6.2.3 Cargo Compartment</b>	<b>74</b>
6.2.3.1 Class A	74
6.2.3.2 Class B	74
6.2.3.3 Class C	74
6.2.3.4 Class E	75
6.2.3.5 Class F	75
6.2.3.6 Cargo Liners	75
<b>6.2.4 Passenger and Crew Area</b>	<b>75</b>
6.2.4.1 Prevention	76
6.2.4.2 Fire Detection	76
6.2.4.3 Fire Suppression	76
<b>6.2.5 Electrical/Electronic Bay and Lower Lobe</b>	<b>76</b>
6.2.5.1 787 Lithium-Ion Battery Fires	76
6.2.5.2 Why Lithium Ion?	78

---

6.2.6 Fuel Tank Fires	<u>78</u>
6.2.7 External Fuel Fire	<u>79</u>
<b>6.3 System Failures</b>	<b><u>79</u></b>
6.3.1 Burst Ducts	<u>79</u>
6.3.2 Leaking Ducts	<u>80</u>
<b>References</b>	<b><u>80</u></b>

**CHAPTER 7**

<b>Environmental Control Systems</b>	<b><u>81</u></b>
<b>7.1 Introduction</b>	<b><u>81</u></b>
<b>7.2 Cabin Temperature and Pressure Control</b>	<b><u>81</u></b>
<b>7.2.1 Air Supply (1 to 2)</b>	<b><u>82</u></b>
7.2.1.1 No-Bleed System	<u>84</u>
7.2.1.2 Ground-Based Operation	<u>85</u>
<b>7.2.2 Air Conditioning (3)</b>	<b><u>85</u></b>
7.2.2.1 Air Cycle Machine	<u>85</u>
7.2.2.2 Vapor Cycle Machine	<u>88</u>
7.2.2.3 Air Cycle versus Vapor Cycle Machine	<u>89</u>
<b>7.2.3 Air Distribution (4-8)</b>	<b><u>90</u></b>
7.2.3.1 Recirculation System	<u>90</u>
7.2.3.2 Main Cabin	<u>91</u>
7.2.3.3 Fight Deck	<u>92</u>
<b>7.2.4 Cargo Heat and Cargo Air Conditioning</b>	<b><u>92</u></b>
<b>7.2.5 Cabin Pressure Control</b>	<b><u>93</u></b>
<b>7.3 Venting and Chiller Exhaust</b>	<b><u>93</u></b>
<b>7.4 EE Cooling</b>	<b><u>94</u></b>
<b>7.4.1 Active Cooling</b>	<b><u>95</u></b>
<b>7.4.2 Passive Cooling</b>	<b><u>95</u></b>
<b>7.4.3 Flight Critical Equipment</b>	<b><u>96</u></b>
<b>7.5 Protective Systems</b>	<b><u>96</u></b>
<b>7.5.1 Wing Anti-ice</b>	<b><u>97</u></b>
7.5.1.1 Thermal	<u>98</u>
7.5.1.2 Chemical	<u>98</u>
7.5.1.3 Mechanical	<u>98</u>
<b>7.5.2 Engine Anti-ice</b>	<b><u>99</u></b>
<b>7.5.3 Ice Detection</b>	<b><u>99</u></b>
<b>7.5.4 Air Data Sensors</b>	<b><u>99</u></b>
<b>7.5.5 Windshields</b>	<b><u>100</u></b>
<b>References</b>	<b><u>100</u></b>

**CHAPTER 8**

<b>Thermal Design</b>	<b>103</b>
<b>8.1 Introduction</b>	<b>103</b>
<b>8.2 Insulation Types</b>	<b>103</b>
8.2.1 Fiberglass	104
8.2.2 Open Cell Foams	105
8.2.2.1 Polyimide	105
8.2.2.2 Melamine	105
8.2.3 Closed Cell Foams	106
8.2.4 Ceramics	106
8.2.5 Felt	106
8.2.6 Aerogels	106
<b>8.3 Insulation Applications</b>	<b>107</b>
8.3.1 Fuselage	107
8.3.2 Ducting and Hot Pack Components	107
8.3.3 Engine and Auxiliary Power Unit (APU)	108
8.3.4 Cargo Compartments	108
8.3.5 Insulation Placement: Heat Source or Receiver	108
<b>8.4 Surface Coatings and Applications</b>	<b>108</b>
8.4.1 Low Solar Absorptivity Paints	109
8.4.2 Low Emissivity Coatings	109
<b>8.5 Radiation Shields</b>	<b>110</b>
<b>8.6 Phase-Change Materials</b>	<b>110</b>
<b>8.7 Intumescent Paints</b>	<b>110</b>
<b>8.8 Ablation Materials</b>	<b>110</b>
<b>8.9 Increase Heat Sink</b>	<b>110</b>
8.9.1 Ram Air	111
8.9.2 Fuel	111
8.9.2.1 Fuel Flammability	111
8.9.2.2 Nitrogen-Generating Systems	112
8.9.2.3 Systems Cooling	112
8.9.2.4 Increasing Ambient Cooling	112
<b>8.10 Reduce Heat Generation</b>	<b>112</b>
<b>8.11 Spot Cooling</b>	<b>113</b>
8.11.1 Unpressurized Air	113
8.11.2 Pressurized Air	113
<b>8.12 Modify Material</b>	<b>113</b>
<b>References</b>	<b>114</b>

**CHAPTER 9**

<b>Analytical Modeling</b>	<b>115</b>
<b>9.1 Introduction</b>	<b>115</b>
<b>9.2 Mathematical Modeling of Heat Transfer</b>	<b>115</b>
<b>9.2.1 Thermal Resistances</b>	<b>116</b>
9.2.1.1 Conduction	116
9.2.1.2 Convection	117
9.2.1.3 Radiation	125
<b>9.2.2 Thermal Capacitance</b>	<b>126</b>
<b>9.2.3 Energy Sources</b>	<b>126</b>
<b>9.2.4 Mass Transfer (Fluid Flow)</b>	<b>126</b>
<b>9.2.5 Analytical Modeling Using the Electrical Analogy</b>	<b>127</b>
9.2.5.1 Series Resistance	127
9.2.5.2 Parallel Resistance	127
9.2.5.3 Example: Heat Transfer from an Insulated Hot-Air Duct	128
9.2.5.4 Iterative Method	129
<b>9.3 Mathematical Modeling of Airflow Systems</b>	<b>129</b>
<b>9.3.1 Bernoulli's Equation</b>	<b>130</b>
9.3.1.1 Head	130
9.3.1.2 Gases	130
<b>9.3.2 Pressure Generation: Fans and Pumps</b>	<b>131</b>
9.3.2.1 Fan Pressure	131
9.3.2.2 Pump Head	132
<b>9.3.3 System Pressure Drop</b>	<b>133</b>
9.3.3.1 Frictional Losses	134
9.3.3.2 Loss Coefficients	135
<b>9.3.4 Flow Calculation</b>	<b>137</b>
<b>References</b>	<b>138</b>

**CHAPTER 10**

<b>Analytical Software</b>	<b>139</b>
<b>10.1 Introduction</b>	<b>139</b>
<b>10.2 Thermal/Fluid Systems</b>	<b>139</b>
<b>10.2.1 SINDA</b>	<b>140</b>
<b>10.2.2 Computer-Aided Design (CAD) Embedded</b>	<b>140</b>
<b>10.3 1-D Network Flow</b>	<b>140</b>
<b>10.3.1 System 1-D CFD</b>	<b>141</b>
<b>10.3.2 Component 3-D CFD</b>	<b>141</b>

<b>10.4 Multi-domain/Co-simulation</b>	<b>141</b>
<b>10.5 Computational Fluid Dynamics</b>	<b>142</b>
10.5.1 External Flows	142
10.5.2 Internal Flows	142
10.5.3 Advantages and Limitations	142
10.5.4 Expanded Use	143
<b>10.6 Pre-processing</b>	<b>143</b>
<b>10.7 Post-processing</b>	<b>144</b>
<b>10.8 General Programming Environments</b>	<b>144</b>
<b>10.9 Tool Source</b>	<b>145</b>
10.9.1 In-house	145
10.9.2 In-house versus COTS Software	145
10.9.3 Open Source	145
10.9.4 Government	146
<b>10.10 Software Evaluation and Selection</b>	<b>146</b>
<b>References</b>	<b>147</b>

---

**CHAPTER 11**

<b>Testing</b>	<b>149</b>
<b>11.1 Introduction</b>	<b>149</b>
<b>11.2 Identifying the Need</b>	<b>149</b>
11.2.1 Analytical Uncertainty and Design Margins	150
11.2.2 Certification Requirements	150
11.2.3 System Criticality	151
<b>11.3 Material Thermal and Surface Optical Properties</b>	<b>151</b>
11.3.1 Thermal Conductivity	151
11.3.1.1 Guarded Hot Plate	151
11.3.1.2 Comparative Cut-Bar Method	152
11.3.1.3 Composite Materials	152
11.3.2 Specific Heat	152
11.3.3 Infrared Emissivity and Reflectivity	152
11.3.4 Solar Absorptance and Reflectance	153
11.3.5 In-Service Degradation of Properties	153
11.3.5.1 Materials	153
11.3.5.2 Surfaces	153

---

<b>11.4 FAA Fire Testing</b>	<b><u>153</u></b>
<b>11.4.1 Materials</b>	<b><u>153</u></b>
11.4.1.1 FAA Fire Test Handbook	<u>153</u>
11.4.1.2 Burn Resistance	<u>154</u>
11.4.1.3 Burnthrough	<u>154</u>
<b>11.4.2 Systems</b>	<b><u>155</u></b>
11.4.2.1 Cargo	<u>155</u>
11.4.2.2 Heat Generation	<u>156</u>
<b>11.5 Model Validation</b>	<b><u>156</u></b>
<b>11.5.1 Temperatures</b>	<b><u>156</u></b>
11.5.1.1 Thermometers	<u>156</u>
11.5.1.2 Probes	<u>156</u>
<b>11.5.2 Fluid Flow and Pressure Drops</b>	<b><u>157</u></b>
11.5.2.1 Pitot Tube	<u>157</u>
11.5.2.2 Manometers	<u>158</u>
11.5.2.3 Mechanical Pressure Gauges	<u>158</u>
11.5.2.4 Electromechanical	<u>158</u>
11.5.2.5 Hot-Wire Anemometers	<u>158</u>
11.5.2.6 Ultrasonic Meters	<u>159</u>
<b>11.6 Testing Boundary Conditions</b>	<b><u>159</u></b>
<b>11.7 Testing Standards and Procedures</b>	<b><u>159</u></b>
<b>11.7.1 Industry Trade Organizations</b>	<b><u>160</u></b>
<b>11.7.2 Engineering Societies</b>	<b><u>160</u></b>
<b>11.7.3 Military</b>	<b><u>160</u></b>
<b>11.8 Systems Testing</b>	<b><u>160</u></b>
<b>11.9 Airplane Testing</b>	<b><u>161</u></b>
<b>11.9.1 Data Extrapolation</b>	<b><u>161</u></b>
<b>References</b>	<b><u>161</u></b>

---

**CHAPTER 12**

<b>Military Aircraft Thermal Management</b>	<b><u>163</u></b>
<b>12.1 Introduction</b>	<b><u>163</u></b>
<b>12.2 Commercial Airframes</b>	<b><u>164</u></b>
<b>12.2.1 Advantages</b>	<b><u>164</u></b>
<b>12.2.2 Disadvantages</b>	<b><u>164</u></b>
<b>12.2.3 Military Avionics</b>	<b><u>165</u></b>
<b>12.3 Bombers</b>	<b><u>166</u></b>

<b>12.4 Fighters</b>	<b><u>167</u></b>
<b>12.5 Vertical Lift</b>	<b><u>168</u></b>
<b>12.6 Directed Energy Weapons (DEWs)</b>	<b><u>169</u></b>
<b>References</b>	<b><u>169</u></b>
 Nomenclature	 <u>171</u>
About the Author	<u>177</u>
Index	<u>179</u>