

DIN EN ISO 19085-17:2021-12 (E)

Woodworking machines - Safety - Part 17: Edge banding machines fed by chains (ISO 19085-17:2021)

Contents

	Page
European foreword	5
Annex ZA (informative) Relationship between this International Standard and the essential requirements of EU Directive 2006/42/EC aimed to be covered	6
Foreword	9
Introduction	10
1 Scope	12
2 Normative references	13
3 Terms and definitions	14
4 Safety requirements and measures for controls	20
4.1 Safety and reliability of control systems	20
4.2 Control devices	20
4.3 Start	20
4.3.1 Direct start	20
4.3.2 Start via control power-on	21
4.3.3 Integrated feed	21
4.4 Safe stops	21
4.4.1 General	21
4.4.2 Normal stop	21
4.4.3 Operational stop	22
4.4.4 Emergency stop	22
4.5 Braking function of tools	22
4.6 Mode selection	22
4.6.1 Units' Manual adjustments mode (MODE 2)	23
4.6.2 Fine adjustment mode (MODE 3)	23
4.6.3 Feed chains greasing mode (MODE 4)	24
4.7 Tool speed changing	25
4.7.1 Speed changing by shifting the belts on the pulleys	25
4.7.2 Speed changing by incremental speed change motor	25
4.7.3 Infinitely variable speed by frequency inverter	25
4.8 Failure of any power supply	25
4.9 Manual reset control	25
4.10 Standstill detection and monitoring	25
4.11 Machine moving parts speed monitoring	25
4.12 Time delay	25
4.13 Teleservice	25
5 Safety requirements and measures for protection against mechanical hazards	25
5.1 Stability	25
5.2 Risk of break-up during operation	26
5.3 Tool and tool fixing design	26
5.3.1 General	26
5.3.2 Spindle locking	26
5.3.3 Circular saw blade fixing device	26
5.3.4 Flange dimension for circular saw blades	26
5.3.5 Spindle rings	26
5.4 Braking	27
5.4.1 Braking of tools	27
5.4.2 Maximum run-down time	27
5.4.3 Brake release	27
5.5 Safeguards	27
5.5.1 Fixed guards	27
5.5.2 Interlocking moveable guards	27

5.5.3	Hold-to-run control	28
5.5.4	Two-hand control.....	28
5.5.5	Electro-sensitive protective equipment (ESPE).....	28
5.5.6	Pressure-sensitive protective equipment (PSPE).....	28
5.5.7	Enabling control	28
5.6	Prevention of access to hazardous moving parts	28
5.6.1	Guarding of tools installed inside the integral enclosure.....	28
5.6.2	Guarding of external milling units	28
5.6.3	Guarding of sanding belts	29
5.6.4	Guarding of the edge banding zone	29
5.6.5	Access between machine halves on double-end machines	29
5.6.6	Access to hazard points through the slot between chain beam and top pressure beam.....	30
5.6.7	Guarding of drives	31
5.6.8	Safeguarding of the feed mechanisms	31
5.6.9	Safeguarding of machine half movement on double-end machines	34
5.7	Impact hazard	37
5.8	Clamping devices	37
5.9	Measures against ejection	37
5.9.1	General	37
5.9.2	Guards materials and characteristics	38
5.9.3	Devices to minimize ejection of rigid edges	38
5.9.4	Height adjustments of feed mechanism	39
5.10	Workpiece supports and guides	39
5.10.1	General	39
5.10.2	Additional workpiece support at the outfeed	39
5.10.3	Transversal infeed device	40
5.10.4	Automatic panel returner	40
6	Safety requirements and measures for protection against other hazards	41
6.1	Fire	41
6.2	Noise	42
6.2.1	Noise reduction at the design stage	42
6.2.2	Noise emission measurement and declaration	42
6.3	Emission of chips and dust	42
6.4	Electricity	42
6.5	Ergonomics and handling	42
6.6	Lighting	42
6.7	Pneumatics	42
6.8	Hydraulics	42
6.9	Electromagnetic compatibility	42
6.10	Laser	43
6.11	Static electricity	43
6.12	Errors of fitting	43
6.13	Isolation	43
6.14	Maintenance	43
6.15	Relevant but not significant hazards	43
6.16	Extreme temperatures	43
6.17	Substances	44
6.18	Artificial optical radiation	44
7	Information for use	44
7.1	Warning devices	44
7.2	Marking	44
7.2.1	General	44
7.2.2	Additional markings	44
7.3	Instruction handbook	45
7.3.1	General	45
7.3.2	Additional information	45

Annex A (informative) List of significant hazards	47
Annex B (informative) Performance level required	49
Annex C (normative) Stability test	51
Annex D (normative) Test for braking function	52
Annex E (normative) Impact test for guards	53
Annex F (normative) Noise test code	54
Bibliography	59