

DIN EN ISO 19085-3:2022-07 (E)

Woodworking machines - Safety - Part 3: Numerically controlled (NC/CNC) boring and routing machines (ISO 19085-3:2021)

Contents	Page
European foreword	5
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered	6
Foreword	9
Introduction	10
1 Scope	12
2 Normative references	13
3 Terms and definitions	14
4 Safety requirements and measures for controls	17
4.1 Safety and reliability of control systems	17
4.2 Control devices	17
4.2.1 General	18
4.2.2 Hand-held control sets	18
4.3 Start	18
4.3.1 Direct start	18
4.3.2 Start via control power-on	18
4.4 Safe stops	19
4.4.1 General	19
4.4.2 Normal stop	19
4.4.3 Operational stop	19
4.4.4 Emergency stop	19
4.5 Braking function of tools	19
4.6 Mode selection	19
4.6.1 General	19
4.6.2 Machine setting mode [MODE 2]	19
4.6.3 Clamping device manual positioning mode [MODE 3]	20
4.6.4 Boring units positioning mode [MODE 4]	20
4.7 Tool speed changing	20
4.7.1 Speed changing by shifting the belts on the pulleys	20
4.7.2 Speed changing by incremental speed change motor	20
4.7.3 Infinitely variable speed by frequency inverter	20
4.8 Failure of any power supply	21
4.9 Manual reset control	21
4.10 Standstill detection and monitoring	21
4.11 Machine moving parts speed monitoring	21
4.12 Time delay	21
4.13 Tele-service	21
5 Safety requirements and measures for protection against mechanical hazards	21
5.1 Stability	21
5.2 Risk of break-up during operation	21
5.3 Tool and tool fixing design	22
5.3.1 General	22
5.3.2 Spindle locking	22
5.3.3 Circular saw blade fixing device	22
5.3.4 Flange dimension for circular saw blades	22
5.4 Braking	22
5.4.1 Braking of tools	22
5.4.2 Maximum run-down time	22
5.4.3 Brake release	22

5.5	Safeguards.....	22
5.5.1	Fixed guards.....	22
5.5.2	Interlocking moveable guards.....	23
5.5.3	Hold-to-run control.....	23
5.5.4	Two-hand control.....	23
5.5.5	Electro-sensitive protective equipment (ESPE)	23
5.5.6	Pressure-sensitive protective equipment (PSPE)	24
5.5.7	Enabling control.....	24
5.6	Prevention of access to hazardous moving parts.....	24
5.6.1	General	24
5.6.2	Safeguarding of all machine sides except the loading/unloading zone	24
5.6.3	Safeguarding of the loading/unloading zones.....	25
5.6.4	Measures against access to the rear of the machine from un/loading zone.....	35
5.6.5	Minimum clearances at the loading/unloading zone	38
5.7	Impact hazard	38
5.8	Clamping devices.....	38
5.9	Measures against ejection.....	39
5.9.1	General	39
5.9.2	Guards materials and characteristics	41
5.9.3	Curtains.....	42
5.10	Workpiece support and guides	43
6	Safety requirements and measures for protection against other hazards.....	43
6.1	Fire	43
6.2	Noise	43
6.2.1	Noise reduction at the design stage	43
6.2.2	Noise emission measurement and declaration	43
6.3	Emission of chips and dust.....	43
6.4	Electricity.....	43
6.5	Ergonomics and handling.....	43
6.6	Lighting.....	44
6.7	Pneumatics.....	44
6.8	Hydraulics.....	44
6.9	Electromagnetic compatibility.....	44
6.10	Laser	44
6.11	Static electricity.....	44
6.12	Errors of fitting.....	44
6.13	Isolation.....	44
6.14	Maintenance.....	44
6.15	Relevant but not significant hazards.....	44
7	Information for use	44
7.1	Warning devices.....	44
7.2	Marking.....	45
7.2.1	General	45
7.2.2	Additional markings	45
7.3	Instruction handbook.....	45
7.3.1	General	45
7.3.2	Additional information	45
	Annex A (informative) List of significant hazards.....	47
	Annex B (informative) Performance levels required	49
	Annex C (normative) Stability test.....	51
	Annex D (normative) Test for braking function.....	52
	Annex E (normative) Impact test for guards.....	53
	Annex F (normative) Noise test code.....	54

Annex G (normative) Dynamic test for pressure-sensitive bumpers, edges, trip bars, trip plates59

Annex H (informative) Examples of safeguarding concepts for different machine designs.....67

Annex I (normative) Impact test for curtains85

Annex J (normative) Wear test for curtains90

Bibliography94