

DIN 32676:2022-10 (E)

Stainless steel components for hygienic and aseptic applications in the food, the chemical and the pharmaceutical industries - Clamp connections with molded seals

Contents

	Page
Foreword	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Symbols and abbreviations	8
5 Ordering details	9
5.1 Clamp ferrules	9
5.1.1 Required details	9
5.1.2 Optional details	9
5.1.3 Designation	9
5.1.4 Examples of orders	9
5.2 Solid end caps	9
5.2.1 Required details	9
5.2.2 Optional details	10
5.2.3 Designation	10
5.2.4 Examples of orders	10
5.3 Gaskets	10
5.3.1 Required details	10
5.3.2 Optional details	10
5.3.3 Designation	11
5.3.4 Examples of orders	11
5.4 Clamp connection	11
5.4.1 General	11
5.4.2 Required details	11
5.4.3 Optional details	11
5.4.4 Designation	11
5.4.5 Examples of orders	12
6 Dimensions	12
6.1 General	12
6.2 Clamp ferrules	13
6.3 Gaskets	14
6.4 Solid end caps	15
6.5 Clamp connection	16
7 Material	21
7.1 Metallic materials	21
7.2 Gasket materials	21
8 Tolerances	22
9 Surfaces	22
9.1 Internal and external surface finish	22
9.2 Acceptance criteria for visual testing	23
10 Marking	25

11	Testing and documentation	25
11.1	Testing	25
11.2	Documentation	26
12	Packaging	26
	Annex A (normative) Information on the requirements on elastomer gaskets	27
A.1	Additional approvals/conformities	27
A.2	Hardness measurement	27
A.3	Further physical characteristics	27
A.4	Storage conditions	27
	Annex B (informative) Information on the requirements on PTFE gaskets	29
B.1	Additional approvals/conformities	29
B.2	Physical characteristics	29
B.3	Storage conditions	30
	Annex C (informative) ferrite content	31
	Bibliography	32
	Figures Figure 1 -- Type A clamp ferrule	13
	Figure 2 -- Type B clamp ferrule	14
	Figure 3 -- Type A gasket	14
	Figure 4 -- Type B gasket	15
	Figure 5 -- Type A solid end cap	15
	Figure 6 -- Type B solid end cap	16
	Figure 7 -- Type A clamp connection, design KK	16
	Figure 8 -- Type B clamp connection, design KL	17
	Figure 9 -- Assembled clamp connections	17
	Figure 10 -- Surfaces for the visual check of the gasket	22
	Tables Table 1 -- Symbols	8
	Table 2 -- Indices	8
	Table 3 -- Dimensions for clamp connections for series A tubes as in DIN 11866 and series A as in DIN EN 10357	18
	Table 4 -- Dimensions of clamp connections for series B tubes as in DIN 11866	19
	Table 5 -- Dimensions for clamp connections for series C tubes as in DIN 11866 and series C as in DIN EN 10357	20
	Table 6 -- Steel grades	21
	Table 7 -- Gasket materials	21
	Table 8 -- Internal and external surface finish of clamp ferrules and solid end caps	23

Table 9 -- Acceptance criteria for visual testing of the internal surface	24
Table 10 -- Additional acceptance criteria for visual testing of electropolished internal surfaces	24
Table 11 -- Marking of clamp connection components	25
Table 12 -- Scope of testing per test unit	26
Table A.1 -- Storage times for elastomer gaskets as in ISO 2230 Rubber products	28
Table B.1 -- Physical characteristics of various PTFE materials	29
Table B.2 -- Typical characteristic values of suitable PTFE materials	30
Table C.1 -- Typical areas for the formation of ferrite and martensite	31
Table C.2 -- ferrite classes for materials 1.4404 and 1.4435 (DF classes)	31