

INTERNATIONAL STANDARD

IEC 62345

First edition
2005-03

ID format for 50 mm magneto-optical disc system

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XA

For price, see current catalogue

CONTENTS

FOREWORD.....	7
1 Scope	9
2 Normative references	9
3 Terms and definitions	9
4 Conventions and notations.....	12
4.1 Representation of numbers.....	12
4.2 Names	12
5 List of acronyms	13
6 General description of the optical disc cartridge	13
7 General requirements	14
7.1 Environments	14
7.2 Temperature shock.....	14
7.3 Safety requirements.....	15
8 Reference drive	15
8.1 Optical system.....	15
8.2 Optical beam	16
8.3 Read channels	16
8.4 Tracking	17
8.5 Rotation of the disc.....	17
9 Mechanical and physical characteristics	17
9.1 Dimensional and physical characteristics of the cartridge	17
9.2 Dimensional, mechanical and physical characteristics of the disc.....	27
9.3 Interface between cartridge and drive	32
10 Format of information	33
10.1 Track geometry	33
10.2 Track format.....	34
10.3 Frame format.....	35
10.4 ECC Block format	42
10.5 Recording code	43
10.6 Format of the Information Zone	45
10.7 Format of the Data Zone	46
10.8 Defect Management.....	51
11 Characteristics of embossed information	55
11.1 Method of testing.....	55
11.2 Signals from grooves (see Figure 26).....	56
11.3 Signals from wobble groove (see Figure 27).....	57
11.4 Signal from fine clock marks (see Figure 28).....	58
12 Characteristics of the recording layer	59
12.1 Method of testing.....	59
12.2 Magneto-optical characteristics.....	60
13 File system.....	63
13.1 Volume.....	63
13.2 File	73

14	File format of Sound and Images	78
14.1	General	78
14.2	Directory Structure	78
14.3	File Format	79
Annex A (normative)	Air cleanliness class 100000	82
Annex B (normative)	Measurement method of reference plane flatness	83
Annex C (normative)	Measurement method of cartridge flatness	84
Annex D (normative)	Measurement method of cartridge curvature	85
Annex E (normative)	Test method for measuring the friction force	86
Annex F (normative)	Format of the Data Field	88
Annex G (normative)	Contents of Control Tracks	95
Annex H (normative)	Relaxation by zones of the requirement for signals	99
Annex I (informative)	Transportation	100
Annex J (informative)	Track deviation measurement	101
Annex K (informative)	Digital still camera image file format standard – Exif	105
Annex L (informative)	Design Rule for Camera File System – DCF	106
Annex M (informative)	Movie file format – QuickTime	107
Figure 1	– Optical system of the reference drive	15
Figure 2	– Outline of cartridge	18
Figure 3	– Cartridge reference line and reference plane	19
Figure 4	– Cartridge Top and Side View	23
Figure 5	– Cartridge Bottom View	24
Figure 6	– Shutter	25
Figure 7	– Shutter lock	25
Figure 8	– Holding area	26
Figure 9	– Screw location	26
Figure 10	– Disc dimensions	28
Figure 11	– Thickness of the protective coating	32
Figure 12	– Gap between the disc and the internal wall of the cartridge	33
Figure 13	– Track layout	34
Figure 14	– Layout of the Address Segment	35
Figure 15	– Wolbble Pattern of the Address Segment	35
Figure 16	– Layout of the Data Segment	39
Figure 17	– The patterns of the Pre-write field and the Post-write field	40
Figure 18	– ECC Block layout	42
Figure 19	– Header	43
Figure 20	– NRZI Plus convolution method	44
Figure 21	– NRZI Plus convolution method	44
Figure 22	– Layout of the Data Zone and Test Zones	47
Figure 23	– Structure of Logical Zone	51

Figure 24 – Structure of PDL entry	54
Figure 25 – Structure of SDL entry	55
Figure 26 – Signals from grooves	57
Figure 27 – Signals from wobbled groove	57
Figure 28 – Signals from fine clock marks	58
Figure 29 – Radial push-pull signal and envelope of fine clock mark	58
Figure 30 – Recording magnetic field shape and Write pulse	60
Figure 31 – Resolution	61
Figure 32 – Spectrum analyser display	61
Figure 33 – Crosstalk test pattern	62
Figure 34 – Directory structure including motion picture	79
Figure A.1 – Particle size distribution curve	82
Figure B.1 – Measurement method of reference plane flatness	83
Figure C.1 – Measurement method of cartridge flatness	84
Figure D.1 – Measurement method of cartridge curvature	85
Figure E.1 – Arrangement of testing chip and disc for the measurement of friction force	86
Figure E.2 – Shape of testing chip	87
Figure E.3 – Test cycle	87
Figure F.1 – Processing flow to generate Data unit 1	88
Figure F.2 – Processing flow to generate Data unit 2 and Data unit 3	88
Figure F.3 – Data unit 1 configuration	89
Figure F.4 – Data ID information	89
Figure F.5 – Feedback shift register for generation scramble data	92
Figure F.6 – ECC block configuration	93
Figure F.7 – ECC block after row interleave	94
Figure G.1 – Track layout of the Control Zone	96
Figure G.2 – Layout of the Control Segment	96
Figure G.3 – Unit of the Control Segment	97
Figure J.1 – Maximum allowed amplitude of a sinusoidal track deviation	101
Figure J.2 – Implementation of a Reference Servo by filtering the track position signal with the reduction characteristics of the Reference Servo	103
Figure J.3 – Implementation of a Reference Servo by changing the transfer function of the actual servo	103
Figure J.4 – Implementation of a Reference Servo by changing the tracking error of the actual servo	104
Table 1 – Write protection	21
Table 2 – User hole	22
Table 3 – Index hole	22
Table 4 – Nominal Address Data clock frequencies when the disc rotates at 50 Hz	41
Table 5 – Layout of the Information Zone	45
Table 6 – Locations of the DMAs	47
Table 7 – Byte assignment of the Disc Definition Structure (DDS)	48
Table 8 – Assign of Logical Zone	49

Table 9 – Content of the PDL	53
Table 10 – Content of the SDL	54
Table 11 – OSTA CS0 Charspec	63
Table 12 – Time stamp	64
Table 13 – Domain Entity Identifier.....	64
Table 14 – Domain Identifier Suffix.....	64
Table 15 – UDF Entity Identifier	65
Table 16 – UDF Identifier Suffix	65
Table 17 – Implementation Entity Identifier	65
Table 18 – Implementation Identifier Suffix.....	65
Table 19 – Beginning Extended Area Descriptor	66
Table 20 – NSR Descriptor	66
Table 21 – Terminating Extended Area Descriptor	66
Table 22 – Descriptor Tag.....	67
Table 23 – Anchor Volume Descriptor Pointer.....	67
Table 24 – Primary Volume Descriptor	67
Table 25 – Implementation Use Volume Descriptor.....	68
Table 26 – Implementation Use of Implementation Use Volume Descriptor.....	68
Table 27 – Partition Descriptor.....	69
Table 28 – Partition Contents	69
Table 29 – Partition Header Descriptor.....	69
Table 30 – Logical Volume Descriptor	70
Table 31 – File Set Descriptor Extent Information	70
Table 32 – Integrity Sequence Extent Information.....	71
Table 33 – Partition Maps	71
Table 34 – Unallocated Space Descriptor	71
Table 35 – Terminating Descriptor.....	71
Table 36 – Logical Volume Integrity Descriptor.....	72
Table 37 – Logical Volume Contents Use	72
Table 38 – Implementation.....	72
Table 39 – lb_addr (Logical Block Address).....	73
Table 40 – short_ad (Short Allocation Descriptor).....	73
Table 41 – long_ad (Long Allocation Descriptor).....	73
Table 42 – File Set Descriptor.....	73
Table 43 – File Identifier Descriptor.....	74
Table 44 – d-characters	74
Table 45 – File Entry.....	75
Table 46 – ICB Tag.....	76
Table 47 – Extended Attributes	76
Table 48 – Extended Attributes Header Descriptor.....	76
Table 49 – File Times Extended Attribute	77
Table 50 – Flags in ICB Tag.....	77
Table 51 – Space Bitmap Descriptor	77

Table 52 – Allocation Extent Descriptor	78
Table F.1 – Initial value of shift register	91
Table G.1 – Layout of the Control Zones	95
Table H.1 – Requirements for signals in each zone	99

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ID FORMAT FOR 50 mm MAGNETO-OPTICAL
DISC SYSTEM****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

The IEC draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC.

Information may be obtained from:

Sanyo Electric Co., Ltd.
5-5, Keihan-hondori 2-chome,
Moriguchi City, Osaka, 570-8677, Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62345 has been prepared by IEC technical committee 100: Audio, video, and multimedia systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/870/FDIS	100/912/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

ID FORMAT FOR 50 mm MAGNETO-OPTICAL DISC SYSTEM

1 Scope

This International Standard specifies the characteristics of 50 mm Optical Disc Cartridges (ODC) with a capacity of 730 Mbytes per Cartridge. This regulation covers the logical format of removable 50 mm magneto-optical discs used on digital still cameras, digital movie cameras, electronic albums and similar devices and combinations of these devices that record, play or process the digital data of still pictures, motion pictures and audio. This standard specifies the recording and reproducing format and processing method of files of still pictures, motion pictures and audio on 50 mm magneto-optical discs so that the users can use these discs on various compatible devices.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60950-1:2001, *Information technology equipment – Safety – Part 1: General requirements*

ISO/IEC 13346-1:1995, *Information technology – Volume and file structure of write-once and rewritable media using non-sequential recording for information interchange – Part 1: General*