



Edition 1.0 2017-12

INTERNATIONAL STANDARD

Connectors for electrical and electronic equipment – Product requirements – Part 3-119: Rectangular connectors – Detail specification for shielded and unshielded, free and fixed 10-way connectors with push-pull coupling for industrial environments for data transmission with frequencies up to 100 MHz

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.220.10 ISBN 978-2-8322-5112-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Normative references	F	DREWC	DRD	5
2 Normative references 3 Terms and definitions 4 Technical information 4.1 Ratings and characteristics 4.1.1 Rated current 4.1.2 Rated voltage 4.1.3 Insulation resistance 4.1.4 Voltage proof 4.2 Performance levels 4.3 Compatibility levels 4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking 5 Dimensional information 5.1 General 5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.5 Free connectors 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.2 Terminations 5.5.3 Accesso	IN	TRODU	JCTION	7
3 Terms and definitions 4 Technical information 4.1 Ratings and characteristics 4.1.1 Rated current 4.1.2 Rated voltage 4.1.3 Insulation resistance 4.1.4 Voltage proof 4.2 Performance levels 4.3 Compatibility levels 4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking 5 Dimensional information 5.1 General 5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.4.2 Terminations 5.5.1 Dimensions 5.5.2 Terminations 5.5.2 Terminations 5.5.2 Terminations 5.5.2 Terminations 5.5.2 Terminations 6.6 Characteristics 6.1 G	1	Scop	pe	9
4.1 Ratings and characteristics	2	Norm	mative references	9
4.1 Ratings and characteristics. 4.1.1 Rated current. 4.1.2 Rated voltage. 4.1.3 Insulation resistance. 4.1.4 Voltage proof. 4.2 Performance levels. 4.3 Compatibility levels. 4.4 Climatic categories. 4.5 Clearance and creepage distances. 4.6 Marking 5 Dimensional information. 5.1 General. 5.2 Isometric view and common features. 5.3 Engagement (mating) information – Contact levels and sequencing. 5.4 Fixed connectors. 5.4.1 Dimensions. 5.4.2 Terminations. 5.5.5 Free connectors. 5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories. 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.4 Electrical characteristics. 6.4.1 Creepage and clearance distances. 6.4.2 Voltage proof. 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.5.5 Transmission characteristics. 6.5.1 General 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.3 Return loss. 6.5.4 NEXT	3	Term	ns and definitions	11
4.1 Ratings and characteristics. 4.1.1 Rated current. 4.1.2 Rated voltage. 4.1.3 Insulation resistance. 4.1.4 Voltage proof. 4.2 Performance levels. 4.3 Compatibility levels. 4.4 Climatic categories. 4.5 Clearance and creepage distances. 4.6 Marking 5 Dimensional information. 5.1 General. 5.2 Isometric view and common features. 5.3 Engagement (mating) information – Contact levels and sequencing. 5.4 Fixed connectors. 5.4.1 Dimensions. 5.4.2 Terminations. 5.5.5 Free connectors. 5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories. 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.4 Electrical characteristics. 6.4.1 Creepage and clearance distances. 6.4.2 Voltage proof. 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.5.5 Transmission characteristics. 6.5.1 General 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.3 Return loss. 6.5.4 NEXT	4	Tech	nnical information	12
4.1.1 Rated current. 4.1.2 Rated voltage 4.1.3 Insulation resistance. 4.1.4 Voltage proof. 4.2 Performance levels. 4.3 Compatibility levels. 4.4 Climatic categories. 4.5 Clearance and creepage distances. 4.6 Marking. 5 Dimensional information 5.1 General. 5.2 Isometric view and common features. 5.3 Engagement (mating) information – Contact levels and sequencing. 5.4 Fixed connectors. 5.4.1 Dimensions. 5.4.2 Terminations. 5.5 Free connectors. 5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories. 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics. 6.1 General. 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.				
4.1.2 Rated voltage 4.1.3 Insulation resistance 4.1.4 Voltage proof 4.2 Performance levels 4.3 Compatibility levels 4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking 5 Dimensional information 5.1 General 5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.5.2 Terminations 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 </td <td></td> <td></td> <td>· ·</td> <td></td>			· ·	
4.1.3 Insulation resistance		4.1.2		
4.1.4 Voltage proof			-	
4.2 Performance levels 4.3 Compatibility levels 4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking 5 Dimensional information 5.1 General 5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.5 Terminations 5.5.2 Terminations 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance <t< td=""><td></td><td>_</td><td></td><td></td></t<>		_		
4.3 Compatibility levels 4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking			• .	
4.4 Climatic categories 4.5 Clearance and creepage distances 4.6 Marking 5 Dimensional information 5.1 General				
4.5 Clearance and creepage distances 4.6 Marking				
4.6 Marking			-	
5 Dimensional information 5.1 General			, e	
5.1 General 5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.4.2 Terminations 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT	5		· ·	
5.2 Isometric view and common features 5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.4.2 Terminations 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.3 Return loss 6.5.4 NEXT				
5.3 Engagement (mating) information – Contact levels and sequencing 5.4 Fixed connectors 5.4.1 Dimensions 5.4.2 Terminations 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
5.4 Fixed connectors 5.4.1 Dimensions 5.4.2 Terminations 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT		_		
5.4.1 Dimensions 5.4.2 Terminations 5.5 Free connectors 5.5.1 Dimensions 5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
5.4.2 Terminations. 5.5 Free connectors. 5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics. 6.1 General 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.4 Electrical characteristics. 6.4.1 Creepage and clearance distances. 6.4.2 Voltage proof. 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.4.5 Shield to shield resistance. 6.4.6 Insulation resistance. 6.5 Transmission characteristics. 6.5.1 General 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.4 NEXT				
5.5 Free connectors. 5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories. 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics. 6.1 General. 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.4 Electrical characteristics. 6.4.1 Creepage and clearance distances. 6.4.2 Voltage proof. 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.4.5 Shield to shield resistance. 6.4.6 Insulation resistance. 6.5 Transmission characteristics 6.5.1 General. 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.4 NEXT.		• • • • • •		
5.5.1 Dimensions. 5.5.2 Terminations. 5.5.3 Accessories. 5.6 Mounting information for connectors – Mounting on panels. 5.7 Gauges – Sizing gauges and retention force gauges. 6 Characteristics. 6.1 General. 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories. 6.4 Electrical characteristics. 6.4.1 Creepage and clearance distances. 6.4.2 Voltage proof. 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.4.5 Shield to shield resistance. 6.4.6 Insulation resistance. 6.5 Transmission characteristics. 6.5.1 General. 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.4 NEXT.		_		
5.5.2 Terminations 5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
5.5.3 Accessories 5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions. 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity. 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
5.6 Mounting information for connectors – Mounting on panels 5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
5.7 Gauges – Sizing gauges and retention force gauges 6 Characteristics 6.1 General				
6 Characteristics 6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
6.1 General 6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT	6			
6.2 Pin assignment and other definitions 6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT	-			
6.3 Classification into climatic categories 6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
6.4 Electrical characteristics 6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT			· ·	
6.4.1 Creepage and clearance distances 6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT			-	
6.4.2 Voltage proof 6.4.3 Current-carrying capacity 6.4.4 Contact resistance 6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT		-		
6.4.3 Current-carrying capacity. 6.4.4 Contact resistance. 6.4.5 Shield to shield resistance. 6.4.6 Insulation resistance. 6.5 Transmission characteristics. 6.5.1 General. 6.5.2 Insertion loss. 6.5.3 Return loss. 6.5.4 NEXT.		-		
6.4.4 Contact resistance		6.4.3	• .	
6.4.5 Shield to shield resistance 6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT			, , ,	
6.4.6 Insulation resistance 6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT		-		
6.5 Transmission characteristics 6.5.1 General 6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
6.5.2 Insertion loss 6.5.3 Return loss 6.5.4 NEXT				
6.5.3 Return loss		6.5.2		
6.5.4 NEXT				
6.5.5 FEXT				
		6.5.5	5 FEXT	21

	6.5.6	Transverse conversion loss	21
	6.5.7	Transverse conversion transfer loss	21
	6.5.8	Transfer Impedance	21
	6.6	Mechanical characteristics	21
	6.6.1	Mechanical operation	21
	6.6.2	Effectiveness of connector coupling devices	21
	6.6.3	Insertion and withdrawal forces	21
	6.6.4	Contact retention in insert	22
	6.6.5	Polarizing and coding method	22
	6.7	Other characteristics	22
	6.7.1	Vibration (sine)	
	6.7.2	Shock	
	6.7.3	Degree of protection provided by enclosures (IP-code)	22
	6.7.4	Screen and shielding properties	22
	6.8	Environmental aspects	
	6.8.1	Marking of insulation material (plastics)	
	6.8.2	Design/use of material	
7	Test	schedule	22
	7.1	General	22
	7.1.1	Introductory remarks	22
	7.1.2	Climatic category	23
	7.1.3	Clearance and creepage distances	
	7.1.4	Arrangement for contact and shield resistance measurement	
	7.1.5	Arrangement for dynamic stress tests	23
	7.1.6	Arrangement for testing static load; axial	
	7.1.7	Wiring of specimens	
	7.2	Test schedules	
	7.2.1	Basic (minimum) test schedule	
	7.2.2		
	7.3	Test procedures and measuring methods	
	7.4	Pre-conditioning	
	7.5	Wiring and mounting of specimens	
	7.5.1	Wiring	
	7.5.2	Mounting	34
_		Fixed (male) and free (female) connector	
Fig	jure 2 –	Fixed connector	14
Fig	gure 3 –	Free connector	16
Fig	gure 4 –	Panel cut-out	18
_		Gauge	
		Contact / shield resistance arrangement	
		Connector vibration and shock test arrangement	
ııç	jui <i>e i –</i>	Connector vibration and shock test arrangement	4
Tα	ble 1 –	Climatic category	12
		Dimensions of the fixed connector	
		Dimensions of the free connector	17
т_	h l n 1	Denot subsub	40

Table 5 – Gauge dimensions	19
Table 6 – Number of test specimens and contacts	25
Table 7 – Test group P	25
Table 8 – Test group AP	26
Table 9 – Test group BP	28
Table 10 – Test group CP	30
Table 11 – Test group DP	31
Table 12 – Test group EP	32
Table 13 – Test group HP	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-119: Rectangular connectors – Detail specification for shielded and unshielded, free and fixed 10-way connectors with push-pull coupling for industrial environments for data transmission with frequencies up to 100 MHz

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicy Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-3-119 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This first edition cancels and replaces IEC PAS 61076-3-119 published in 2013. This edition constitutes a technical revision.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2602/FDIS	48B/2617/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, published under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning connectors given in this specification.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to give free licences with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC.

Information may be obtained from:

HARTING KGaA Marienwerderstrasse 3 32339 Espelkamp Germany

and

Weidmüller Interface GmbH & Co. KG Klingenbergstraße 16 32758 Detmold Germany

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://patents.iec.ch) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

IEC SC 48B – Connector specifications IEC General secretariat or from the addresses shown on the ins	IEC 61076-3-119 Ed. 1.0	
ELECTRONIC COMPONENTS DETAIL SPECIFICATION in accordance IEC 61076-1		
Outline drawing	IEC	10-way rectangular connector round contacts Ø 1 mm screw or crimp terminations, solder or printed board connections upon agreement between manufacturer and user shielded and unshielded, free and fixed for data transmission with frequencies up to 100 MHz with push-pull coupling
		Fixed and free connectors, for industrial environments

CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

Part 3-119: Rectangular connectors – Detail specification for shielded and unshielded, free and fixed 10-way connectors with push-pull coupling for industrial environments for data transmission with frequencies up to 100 MHz

1 Scope

This part of IEC 61076-3 establishes specifications and test requirements for 10-way shielded and unshielded rectangular, free and fixed connectors, with push-pull coupling, for data transmission with frequencies up to 100 MHz and for use in industrial environments.

This document specifies free and fixed connectors with round contacts, suitable for screw or crimp terminations. Other terminations techniques, such as solder or printed board connections are upon agreement between manufacturer and user. The free and fixed connectors have a push-pull locking mechanism for IP65 and IP67 protection according to IEC 60529.

Connectors according this document are without breaking capacity COC according to 3.9 of IEC 61984:2008, therefore they are not intended to be engaged or disengaged in normal use when live or under load, if not otherwise specified by the manufacturer.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581:2008, International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment

IEC 60068-1, Environmental testing – Part 1: General and guidance

IEC 60068-2-20:2008, Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads

IEC 60352-2, Solderless connections – Part 2: Crimped connections – General requirements, test methods and practical guidance

IEC 60352-5, Solderless connections – Part 5: Press-in connections – General requirements, test methods and practical guidance

IEC 60512-1-1, Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination

IEC 60512-1-2, Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass

- IEC 60512-2-1, Connectors for electronic equipment Tests and measurements Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method
- IEC 60512-3-1, Connectors for electronic equipment Tests and measurements Part 3-1: Insulation tests - Test 3a: Insulation resistance
- IEC 60512-4-1, Connectors for electronic equipment Tests and measurements Part 4-1: Voltage stress tests – Test 4a: Voltage proof
- IEC 60512-5-1, Connectors for electronic equipment Tests and measurements Part 5-1: Current-carrying capacity tests - Test 5a: Temperature rise
- IEC 60512-6-3, Connectors for electronic equipment Tests and measurements Part 6-3: Dynamic stress tests – Test 6c: Shock
- IEC 60512-6-4, Connectors for electronic equipment Tests and measurements Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)
- IEC 60512-9-1, Connectors for electronic equipment Tests and measurements Part 9-1: Endurance tests – Test 9a: Mechanical operation
- IEC 60512-11-1, Electromechanical components for electronic equipment Basic testing procedures and measuring methods - Part 11: Climatic tests - Section 1: Test 11a - Climatic sequence
- IEC 60512-11-3, Connectors for electronic equipment Tests and measurements Part 11-3: Climatic tests – Test 11c: Damp heat, steady state
- IEC 60512-11-4, Connectors for electronic equipment Tests and measurements Part 11-4: Climatic tests - Test 11d: Rapid change of temperature
- IEC 60512-11-7, Connectors for electronic equipment Tests and measurements Part 11-7: Climatic tests – Test 11g: Flowing mixed gas corrosion test
- IEC 60512-11-9, Connectors for electronic equipment Tests and measurements Part 11-9: Climatic tests – Test 11i: Dry heat
- IEC 60512-11-10, Connectors for electronic equipment Tests and measurements Part 11-10: Climatic tests - Test 11j: Cold
- IEC 60512-11-12, Connectors for electronic equipment Tests and measurements -Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic
- IEC 60512-13-2, Connectors for electronic equipment Tests and measurements Part 13-2: Mechanical operation tests – Test 13b: Insertion and withdrawal forces
- IEC 60512-13-5, Connectors for electronic equipment Tests and measurements Part 13-5: Mechanical operation tests - Test 13e: Polarizing and keying method
- IEC 60512-15-1, Connectors for electronic equipment Tests and measurements Part 15-1: Connector tests (mechanical) - Test 15a: Contact retention in insert
- IEC 60512-15-6, Connectors for electronic equipment Tests and measurements Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices

IEC 60512-15-7, Connectors for electronic equipment – Tests and measurements – Part 15-7: Connector tests (mechanical) – Test 15g: Robustness of protective cover attachment

IEC 60512-16-5, Connectors for electronic equipment – Tests and measurements – Part 16-5: Mechanical tests on contacts and terminations – Test 16e: Gauge retention force (resilient contacts)

IEC 60512-26-100, Connectors for electronic equipment – Tests and measurements – Part 26-100: Measurement setup, test and reference arrangements and measurements for connectors according to IEC 60603-7 – Tests 26a to 26g

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60999-1:1999, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)

IEC 61076-1:2006, Connectors for electronic equipment – Part 1: Generic specification

IEC 61984:2008, Connectors – Safety requirements and tests

IEC 62197-1:2006, Connectors for electronic equipment – Quality assessment requirements – Part 1: Generic specification

IEC 62430:2009, Environmentally conscious design for electrical and electronic products

IEC Guide 109, Environmental aspects – Inclusion in electrotechnical product standards

ISO 128 (all parts), Technical drawings – General principles of presentation

ISO 1101:2017, Geometrical product specifications (GPS) – Geometrical tolerancing – Tolerances of form, orientation, location and run-out

ISO 1302:2002, Geometrical Product Specifications (GPS) – Indication of surface texture in technical product documentation

ISO 11469:2016, Plastics – Generic identification and marking of plastic products