

Welding of Pipelines and Related Facilities

API STANDARD 1104
TWENTY-SECOND EDITION, JULY 2021



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this Standard should consult with the appropriate authorities having jurisdiction.

Users of this Standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2021 American Petroleum Institute

Foreword

This standard was prepared by a formulating committee that included representatives of the API, the American Gas Association (AGA), the Pipe Line Contractors Association (PLCA), the American Welding Society (AWS), and the American Society for Nondestructive Testing (ASNT), as well as representatives of pipe manufacturers and individuals associated with related industries.

The purpose of this standard is to present methods for the production of high quality welds through the use of qualified welders using approved welding procedures, materials, and equipment. Its purpose is also to present inspection methods to ensure the proper analysis of welding quality through the use of qualified technicians and approved methods and equipment. It applies to both new construction and in-service welding.

The use of this standard is entirely voluntary and is intended to apply to welding of piping used in the compression, pumping, and transmission of crude petroleum, petroleum products, fuel gases, carbon dioxide, and nitrogen and, where applicable, to distribution systems.

This standard represents the combined efforts of many engineers who are responsible for the design, construction, and operation of oil and gas pipelines, and the committee appreciatively acknowledges their wholehearted and valuable assistance.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

Page

1	Scope	1
2	Normative References	1
3	Terms, Definitions, Acronyms, and Abbreviations	2
3.1	Terms and Definitions	2
3.2	Acronyms and Abbreviations	8
4	Specifications	11
4.1	Equipment	11
4.2	Materials	12
5	Qualification of Welding Procedures with Filler Metal Additions	13
5.1	Procedure Qualification	13
5.2	Record	13
5.3	Welding Procedure Specification	13
5.4	Essential Variables	19
5.5	Welding of Test Joints-Butt Welds	22
5.6	Testing of Welded Joints-Butt Welds	22
5.7	Welding of Test Joints-Branch and Fillet Welds	30
5.8	Testing of Welded Joints-Branch and Fillet Welds	31
6	Qualification of Welders	32
6.1	General	32
6.2	Single Qualification	33
6.3	Multiple Qualification	36
6.4	Visual Examination	40
6.5	Destructive Testing	40
6.6	Nondestructive Testing (NDT)-Butt Welds Only	41
6.7	Retesting and Disposition of Test Results	42
6.8	Records	42
7	Design and Preparation of a Joint for Production Welding	42
7.1	General	42
7.2	Alignment	42
7.3	Use of Lineup Clamp for Butt Welds	43
7.4	Bevel	43
7.5	Weather Conditions	43
7.6	Clearance	43
7.7	Cleaning Between Beads	43
7.8	Position and Roll Welding	43
7.9	Identification of Welds	44
7.10	Preheat, Interpass Temperature, Postheat, and PWHT	44
8	Inspection and Testing of Production Welds	44
8.1	Rights of Inspection	44
8.2	Methods of Inspection	44
8.3	Qualification of Inspection Personnel	44
8.4	Certification of NDT Personnel	45
9	Acceptance Standards for NDT	45
9.1	General	45
9.2	Rights of Rejection	45

Contents

	Page
9.3 Radiographic Testing	46
9.4 Magnetic Particle Testing	52
9.5 Liquid Penetrant Testing.	53
9.6 Ultrasonic Testing	54
9.7 Visual Acceptance Standards for Undercutting	56
9.8 Visual Acceptance Standards for Internal Concavity	56
10 Repair and Removal of Weld Defects	56
10.1 General	56
10.2 Repair Requirements	57
10.3 Repair Procedure.	58
10.4 Repair Welder Qualification	67
10.5 Inspection of Repair Welding.	71
10.6 NDT and Weld Repair Acceptance Criteria.	71
11 Procedures for Nondestructive Testing (NDT).	71
11.1 General	71
11.2 Magnetic Particle Testing Method	83
11.3 Liquid Penetrant Testing Method	83
11.4 Ultrasonic Testing Methods	83
12 Mechanized Welding with Filler Metal Additions	94
12.1 Acceptable Processes	94
12.2 Procedure Qualification	94
12.3 Record	95
12.4 Welding Procedure Specification	95
12.5 Essential Variables	99
12.6 Testing of Welded Joints-Butt Welds	102
12.7 Qualification of Welding Operators.	107
12.8 Records of Qualified Operators.	111
12.9 Inspection and Testing of Production Welds.	111
12.10 Acceptance Standards for NDT.	111
12.11 Repair and Removal of Defects	111
12.12 Radiographic Testing	111
12.13 Ultrasonic Testing	111
Annex A (normative) Alternative Acceptance Standards for Girth Welds.	112
Annex B (normative) In-service Welding.	137
Annex C (normative) Requests for Interpretation and Requests for Revision to the Document	161
Bibliography	163
Figures	
1 Sample Qualification Weld Report Form	15
2 Sample Welding Procedure Specification Form	16
3 Location of Test Butt Weld Specimens for Procedure Qualification Test	23
4 Tension Test Specimen.	25
5 Nick Break Test Specimen	27
6 Dimensioning of Imperfections in Exposed Weld Surfaces.	28
7 Root and Face Bend Test Specimen: Wall Thicknesses Less than or Equal to 0.500 in. (12.7 mm).	28

Contents

Page

8	Jig for Guided-bend Tests	29
9	Side Bend Test Specimen: Wall Thicknesses Greater than 0.500 in. (12.7 mm)	30
10	Location of Nick Break Test Specimens: Branch and Fillet Weld Procedure and Welder Qualification Test Welds	30
11	Location of Nick Break Test Specimens: Branch and Fillet Weld Procedure and Welder Qualification Test Welds, Including Size-to-size Branch Connection Welder Qualification Test	31
12	Location of Test Butt Weld Specimens for Welder Qualification Test (Full Circumference)	38
13	Location of Test Butt Weld Specimens for Welder Qualification Test (Half Circumference)	39
14	Inadequate Penetration Without High-low	46
15	Inadequate Penetration Due to High-low	46
16	Inadequate Cross Penetration	47
17	Incomplete Fusion at Root of Bead or Top of Joint	47
18	Incomplete Fusion Due to Cold Lap	48
19	Internal Concavity	48
20	Maximum Distribution of Gas Pockets: Wall Thickness (t) less than or equal to 0.500 in. (12.7 mm) ..	50
21	Maximum Distribution of Gas Pockets: Wall Thickness (t) Greater Than 0.500 in. (12.7 mm)	51
22	Hardness Locations for Full-thickness Repair Procedure Qualification	64
23	Hardness Locations for External Partial-thickness Repair Procedure Qualification at Weld	64
24	Hardness Locations for Cover Pass Repair Procedure at Weld Centerline	65
25	Hardness Location for Back Weld Repair or Internal Partial-Thickness Repair Procedure at Weld Centerline	65
26	Hardness Locations for Cover Pass Repair Procedure at Fusion Line	66
27	Hardness Locations for External Partial-Thickness Repair at Fusion Line	66
28	Calculation for Determining Beam Width	75
29	Example of Reference Standard for Manual Ultrasonic Testing	89
30	Example: Establishing Distance, Refracted Angle, and Velocity	89
31	Example: Attenuation and Transfer Procedure	90
32	Example: V Prep Reference Standard—Example Reflector Positioning	93
33	Example: J and K Prep Reference Standard—Reflector Positioning	93
34	Example—J Prep Reference Standard—Top View	93
35	Sample Coupon Test Report	96
36	Sample Welding Procedure Specification Form	97
37	Location of Test Butt Weld Specimens for Procedure Qualification Test	104
38	Tension Test Specimen	105
39	Root and Face Bend Test Specimen: Wall Thicknesses Less Than or Equal to 0.500 in. (12.7 mm) ..	106
40	Jig for Guided-bend Tests	106
41	Side Bend Test Specimen: Wall Thicknesses Greater than 0.500 in. (12.7 mm)	107
A.1	Top View (Width in Circumferential Direction) of the Tensile Test Specimen	118
A.2	Charpy Specimen and V-notch Location for HAZ Impact Testing	119
A.3	Orientation of CTOD Test Specimen	120
A.4	Machining Objective for CTOD Test Specimen with Respect to Pipe Wall	121
A.5	Location of Notch for Weld Metal Specimen	122
A.6	Location of Notch for Heat-affected Zone Specimen	122
A.7	Option 1 Imperfection Limits for $CTOD \geq 0.010$ in. (0.25 mm)	124
A.8	Option 1 Imperfection Limits for 0.004 in. (0.10 mm) $\leq CTOD < 0.010$ in. (0.25 mm)	125
A.9	Allowable Imperfection Size Curves Before and After Height Adjustment	128
A.10	Schematic Overview of the Option 2 Procedure	128
A.11	Criteria for Evaluation of Imperfection Interaction	136
B.1	Examples of Typical Temper Bead Deposition Sequences	138

Contents

	Page
B.2 An Example of Procedure and Welder Qualification Test Assembly	143
B.3 Suggested Location of Test Specimens	144
B.4 Suggested Location of Test Specimens for Weld Deposition Repair	145
B.5 Example Macro Test Specimen—In-service Fillet Welds	147
B.6 Face Bend Test Specimen	149
B.7 Reinforcing Pad	153
B.8 Reinforcing Saddle	154
B.9 Encirclement Sleeve	154
B.10 Encirclement Tee	155
B.11 Encirclement Sleeve and Saddle	155
B.12 Encirclement Saddle	156
 Tables	
1 Essential Variables for Qualification of Welding Procedure Specifications	20
2 Filler Metal Groups	22
3 Type and Number of Test Specimens for Procedure Qualification Test	24
4 Filler Metal Groups for Welder Qualification	33
5 Qualified Thickness Range for Single Qualification Test	35
6 Qualification Scope for Single Qualification Test Using a Branch Connection	36
7 Type and Number of Butt Weld Test Specimens per Welder for Welder Qualification Test and Destructive Testing of Production Welds	41
8 Maximum Dimensions of Undercutting	56
9 Essential Variables for Qualification of Repair Welding Procedure Specifications	60
10 Repair Type Qualification Matrix	60
11 Type and Number of Butt Weld Test Specimens per Repair Type for Repair Procedure	62
12 Repair Weld Maximum Hardness Values, Non-Sour Service, HV10	67
13 Repair Welder Qualification Scope	68
14 Type and Number of Butt Weld Test Specimens per Repair Type for Repair Welder Qualification	69
15 Essential Variables for Repair Welders	70
16 Repair Welder Qualification Matrix	71
17 ASTM E747 Wire Type IQI Selection	77
18 ISO Wire Type IQI Selection	77
19 ASTM E1025 Hole Type IQI Selection	77
20 Essential Variables for the Qualification of Mechanized Welding Procedure Specifications	100
21 Filler Metal Groups	102
22 Type and Number of Test Specimens for Procedure Qualification Test	103
23 Type and Number of Test Specimens for Welding Operator Qualification Test	109
A.1 Essential Variables for Qualification of Welding Procedure Specifications in Accordance with this Annex	116
A.2 Allowed Range of Variation from the Targeted Mean Values for a Lot Defined by Controlled Chemical Composition	117
A.3 Initial Allowable Imperfection Size for $P_r = 0.825$	126
A.4 Example Acceptance Table	128
A.5 Acceptance Limits for Buried Volumetric Imperfections	133
A.6 Acceptable Limits for Unrepaired Arc Burns	133
B.1 Essential Variables for Qualification of Welding Procedure Specifications in Accordance with this Annex	140
B.2 Essential Variables Applicable to Procedure and Welder Qualification	141
B.3 Type and Number of Specimens—In-service Welding Procedure Qualification Test	146

Contents

	Page
B.4 Weld Maximum Hardness Values, Non-Sour Service, HV	148
B.5 Type and Number of Test Specimens for Longitudinal Groove Seam—Welder Qualification	152
B.6 Essential Variables for Qualification of Repair Welding Procedure Specifications in Accordance with this Annex	158
B.7 Type and Number of Specimens—In-service Welding Repair Procedure Qualification Test.	159

Welding of Pipelines and Related Facilities

1 Scope

This standard covers the gas and arc welding of butt, branch, and fillet welds in carbon and low-alloy steel pipe and piping components used in the compression, pumping, and transmission of crude petroleum, petroleum products, fuel gases, carbon dioxide, nitrogen, and, where applicable, covers welding on distribution systems. It applies to both new construction and in-service welding. The welding may be done by a shielded metal arc welding, submerged arc welding, gas tungsten arc welding, gas metal arc welding, flux-cored arc welding, plasma arc welding, or oxyacetylene welding process, or by a combination of these processes using a manual, semiautomatic, or mechanized welding technique or a combination of these techniques. The welds may be produced by position or roll welding or by a combination of position and roll welding.

This standard also covers the procedures for radiographic, magnetic particle, liquid penetrant, and ultrasonic testing, as well as the acceptance standards to be applied to production welds tested to destruction or inspected by radiographic, magnetic particle, liquid penetrant, ultrasonic, and visual testing methods.

The values stated in either U.S. customary units (USC) or metric units (SI) are to be regarded separately as standard. Each system is to be used independently of the other, without combining values in any way.

The figures depicted in this standard are not drawn to scale.

It is intended that all work performed in accordance with this standard meets or exceeds the requirements of this standard.

While this standard is comprehensive, it may not address all issues that may arise. The absence of guidance or requirements is not to be considered prohibitive to a particular activity or approach that is based upon sound engineering judgment. For example, other industry standards, reliable engineering tests and analyses, or established industry practices may provide useful reference to establish sound engineering judgment.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 5L, *Specification for Line Pipe*

ASNT¹ SNT-TC-1A, *Recommended Practice for Personnel Qualification and Certification in Nondestructive Testing*

ASTM² E23, *Standard Test Methods for Notched Bar Impact Testing of Metallic Materials*

ASTM E165, *Standard Test Method for Liquid Penetrant Examination*

ASTM E384, *Standard Test Method for Knoop and Vickers Hardness of Materials*

ASTM E709, *Standard Guide for Magnetic Particle Testing*

ASTM E747, *Standard Practice for Design, Manufacture and Material Grouping Classification of Wire Image Quality Indicators (IQI) Used for Radiology*

¹ American Society for Nondestructive Testing, 1711 Arlingate Lane, Columbus, Ohio 43228-0518, www.asnt.org.

² ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, www.astm.org.